

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @westonsolutions.com]; Burman, Jarmael[Burman.Jarmael@epa.gov]; Nonresponsive based on revised scope @epa.gov]
From: Nonresponsive based on revised scope @gdit.com]
Sent: Fri 7/27/2018 7:30:01 PM (UTC)
Subject: RE: CT8505-CT8504 - SHILOH CHURCH ROAD SITE - Final Lab Assignment Report SUMMARY

Good afternoon,

Will samples for CLP Case 47781 require Saturday delivery to the laboratory?

Thanks!

Nonresponsive based on revised scope

Environmental Analyst – EPA Regions 3, 6, and 9
General Dynamics Information Technology
6361 Walker Lane
Alexandria, VA 22310 | Nonresponsive based on revised scope @gdit.com
(703) 485-4264 | www.gdit.com

GENERAL DYNAMICS
Information Technology

From: Poff, Kevin <Poff.Kevin@epa.gov>
Sent: Friday, July 27, 2018 10:36 AM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @csra.com>; R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>; Nonresponsive based on revised scope @epa.gov>; Gouveia, Dean <Gouveia.Dean@epa.gov>; Nonresponsive based on revised scope @epa.gov>;
Gundersen, Jennifer <Gundersen.Jennifer@epa.gov>
Subject: CT8505-CT8504 - SHILOH CHURCH ROAD SITE - Final Lab Assignment Report SUMMARY

Good Morning Christine,

Final Notifications of lab assignment have been sent out previously but to summarize:

The 3 liquids (actually 5 listed) for VOC's listed in CT8505 have been assigned DAS R35413 and will go TIER IV.

The (6) Flash point samples listed in CT8504 are being sent to the ESC to be analyzed and have been assigned DAS R35411.

The (5) Metals -total- for solid waste listed in CT8505 have been assigned RAS 47781 and will go through the CLP.

We can cancel the (5) solid waste SVOC's assigned RAS 47781 listed in CT8505 in the ASR data base.

Let us know if you have any questions and have a great weekend !



Kevin Poff
Chemist
USEPA
Environmental Science Center
701 Mapes Road
Fort Meade MD 20755

ED_013731B_00010266-00001

From: Wagner, Christine

Sent: Friday, July 27, 2018 8:36 AM

To: Poff, Kevin <Poff.Kevin@epa.gov>

Cc: Nonresponsive based on revised scope <@westonsolutions.com>; Nonresponsive based on revised scope <@westonsolutions.com>; Nonresponsive based on revised scope <@gdit.com>; R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>; Nonresponsive based on revised scope <@epa.gov>; Gouveia, Dean <Gouveia.Dean@epa.gov>; Nonresponsive based on revised scope <@epa.gov>

Subject: Re: CT8505 - SHILOH CHURCH ROAD SITE - Final Lab Assignment Report

All

Here is an update on the waste samples

3 liquids for VOCs & Flash pt

3 solids for metals

No SVOC analysis needed

Thank you!

Chris

On Jul 27, 2018, at 8:32 AM, Poff, Kevin <Poff.Kevin@epa.gov> wrote:

Client's Notification

Please send DAS R35413, the 5 Volatile Organic Compounds for Liquid Waste to a TIER IV laboratory to be procured by you.

In regards to RAS 47781, a separate notification will be sent to the samplers from SMO with the CLP RAS Laboratory assignment for the liquid and solid waste for VOC's and Metals respectively. If you have any questions regarding the RAS, please contact J. Burman at 410-305-2743. Please follow the directions for the notification of the sample shipment for the RAS-CLP case.

If you have any questions, please let us know. Thanks and have a great day !

Kevin Poff
Chemist
USEPA
Environmental Science Center
Fort Mead MD 20755
410-305-2938

<CT8505 - SHILOH CHURCH ROAD SITE - Final Lab Assignment Report.pdf>

This electronic message transmission contains information from CSRA that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind CSRA to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.